a). Amendments to the Claims

1. (Currently Amended) A process for producing guanosine diphospho-sugar ("GDP-sugar") or uridine diphospho-sugar ("UDP-sugar"), which comprises:

selecting, as enzyme sources, a) a culture broth of a microorganism capable of producing guanosine-5'-triphosphate ("GTP") or uridine-5-triphosphate uridine-5'-triphosphate ("UTP") from a nucleotide precursor, or a treated product of the culture broth selected from the group consisting of a concentrated product of the culture broth, a dried product of the culture broth, a culture supernatant obtained by centrifuging the culture broth, a concentrated product of the culture supernatant, an enzyme preparation obtained from the culture supernatant, cells obtained by centrifuging the culture broth, a dried product of the cells, a freeze-dried product of the cells, a surfactant-treated product of the cells, an ultrasonic-treated product of the cells, a mechanically disrupted product of the cells, a solvent-treated product of the cells, an enzymetreated product of the cells, a protein fraction of the cells, an immobilized product of the cells and an enzyme preparation obtained by extraction from the cells, and b) a culture broth or culture broths cultures of at least one strain of microorganism having genes responsible for production of GDP-sugar or UDP-sugar from a sugar selected from the group consisting of glucose, fructose, galactose, glucosamine, N-acetylglucosamine, N-acetylgalactosamine, mannose, fucose and N-acetylmannosamine mannose and fucose and GTP or UTP, or a treated product of the culture broth selected from the group consisting of a concentrated product of the culture broth, a dried product of the culture broth, a culture supernatant obtained by centrifuging the culture, culture broth, a concentrated product of the culture supernatant, an enzyme preparation obtained from the culture supernatant, cells obtained by centrifuging the culture

broth, a dried product of the cells, a freeze-dried product of the cells, a surfactant-treated product of the cells, a solvent-treated product of the cells, a protein fraction of the cells, and an immobilized product of the cells and an enzyme preparation obtained by extraction from the cells wherein the treated product of the culture continues to have the same enzymatic activity as said culture capable of producing UDP-sugar or GDP-sugar from the sugar and UTP or GTP;

allowing the enzyme sources, the nucleotide precursor and the sugar to be present in an aqueous medium to form and accumulate GDP-sugar or UDP-sugar in the aqueous medium; and

recovering GDP-sugar or UDP-sugar from the aqueous medium.

Claims 2-4. (Cancelled)

5. (Previously Presented) The process according to claim 1, wherein the nucleotide precursor is orotic acid, uracil, orotidine, uridine, cytosine, cytidine, adenine, adenosine, guanine, guanosine, hypoxanthine, inosine, xanthine, xanthosine, inosine-5'-monophosphate, xanthosine-5'-monophosphate, guanosine-5'-monophosphate, uridine-5'-monophosphate or cytidine-5'-monophosphate.

Claims 6-14. (Cancelled)

15. (Previously Presented) The process according to claim 1, wherein the microorganism capable of producing GTP or UTP from a nucleotide precursor is a microorganism selected from microorganisms belonging to the genus Corynebacterium.

16. (Original) The process according to claim 15, wherein the microorganism belonging to the genus Corynebacterium belongs to Corynebacterium ammoniagenes.

Claim 17. (Cancelled)

- 18. (Previously Presented) The process according to claim 72, wherein the recombinant microorganism is selected from microorganisms belonging to the genus Escherichia and the genus Corynebacterium.
- 19. (Previously Presented) The process according to claim 18, wherein the recombinant microorganism is Escherichia coli.
- 20. (Previously Presented) The process according to claim 18, wherein the recombinant microorganism is Corynebacterium ammoniagenes.

Claims 21-71. (Cancelled)

72. (Previously Presented) The process according to claim 1, wherein the at least one strain of microorganism having genes responsible for production of a sugar nucleotide comprises a recombinant microorganism having at least one gene responsible for production of a

sugar nucleotide, said gene being derived from a different microorganism, or being derived from said strain of microorganism but being harbored in a plasmid.